

OVEN. PYROLYTIC.

Comfort+



Black, Design Stainless Steel (pre-assembled)



BP 6350.0* **NEW**

Features:

- Pyrolytic self-cleaning (3 levels)
- 10 oven functions (see page 68 table of functions)
- 10 automatic programmes
- 3,9" TFT Display with graphic display
- Electronic oven control with high-quality aluminum knobs
- Actual temperature indication and temperature-recommendation
- Electronic timer (cooking time, end of cooking time, minute minder) with white display
- Full glass inner door, quadruple glazed, removable
- Rapid heating
- Demo mode
- 70 litres capacity
- Halogen lighting
- Door contact switch

Technical data:

- Electrical connection 3.6 kW
- Niche dimensions W x H x D approx. 560 x 590 x 550 mm
- For more technical data see page 236

Standard accessories:

- 1 enamel baking tray; 1 enamel universal/deep tray;
- 1 roasting grid

Optional accessories:

- 1 telescopic glide-out shelf (full glide-out) Acc. no. ZB 1002
- 1 telescopic glide-out shelf (standard glide-out) Acc. no. ZB 1003
- Profession+ cooking set Acc. no. ZB 8030
- Profession+ roaster set Acc. no. ZB 8031
- Pizza stone with lifter Acc. no. 145
- For further optional accessories see page 238


Design kits:

- Design Black Chrome Acc. no. DK 2000
- Design Silver Chrome Acc. no. DK 3000
- Design Gold Acc. no. DK 4000
- Design Black Velvet Acc. no. DK 5000
- Design Copper Acc. no. DK 7000
- Design Hot Chili Acc. no. DK 8000

*Available from July

BP 6350.0 S1 Black, Design Stainless Steel
BP 6350.0 S Black + Design kit Acc. no. ...

Further design variants see page 232-235




UNLIMITED INDIVIDUALITY

INDIVIDUAL PLUS is made up of the silver Chrome or Black Velvet design kits and one of the handles (shown on page on the right) in the corresponding basic colour. Since the kits are not assembled when supplied, customers can decide whether to have the whole kit mounted or perhaps only the handle when assembling the kits on site.

Even existing Küppersbusch built-in appliances can be upgraded with the new INDIVIDUAL PLUS: The handles can easily be exchanged for the new INDIVIDUAL PLUS designs for all the ConceptLine® appliances and the appliances designed in Black Velvet or Silver Chrome.





Design kits INDIVIDUAL PLUS	Handle Acc. no.	Appliance with design kit INDIVIDUAL PLUS (example)*
Silver Chrome design kit + Silver Chrome handle/gold inlay	DK 3014	(BP 6550.0 S) DK 3000 + Acc. no. DK 3014
Silver Chrome design kit + Silver Chrome handle/stone inlay	DK 3012	(BP 6550.0 S) DK 3000 + Acc. no. DK 3012
Silver Chrome design kit + Silver Chrome handle/ Swarovski® crystal	DK 3015	(BP 6550.0 S) DK 3000 + Acc. no. DK 3015
Silver Chrome design kit + Silver Chrome handle/copper inlay	DK 3013	(BP 6550.0 S) DK 3000 + Acc. no. DK 3013
Silver Chrome design kit + Silver Chrome handle/groove for wood inlays	DK 3011*	(BP 6550.0 S) DK 3000 + Acc. no. DK 3011*
Black Velvet design kit + Black Velvet handle/gold inlay	DK 5014	(BP 6550.0 S) DK 5000 + Acc. no. DK 5014
Black Velvet design kit + Black Velvet handle/stone inlay	DK 5012	(BP 6550.0 S) DK 5000 + Acc. no. DK 5012
Black Velvet design kit + Black Velvet handle/Swarovski® crystal	DK 5015	(BP 6550.0 S) DK 5000 + Acc. no. DK 5015
Black Velvet design kit + Black Velvet handle/copper inlay	DK 5013	(BP 6550.0 S) DK 5000 + Acc. no. DK 5013
Black Velvet design kit + Black Velvet handle/groove for wood inlays	DK 5011*	(BP 6550.0 S) DK 5000 + Acc. no. DK 5011*

* In order to ensure that the wood inlay matches the kitchen perfectly, it must be ordered separately from a kitchen retailer (measurements for the inlay on the following double page). The cost of these wood inlays will vary depending on the type of wood and the unit manufacturer. Please ask your kitchen retailer. The following double page has more information on ordering and delivery.

INDIVIDUAL ORDER

The example using the BP 6550.0 built-in oven in black on the page on the right shows the process for an order. The principle is naturally the same for white appliances.

Design options

INDIVIDUAL



Design Stainless Steel 1

This model continues to be supplied pre-assembled.



Design Black Chrome DK 2000



Design Silver Chrome DK 3000



Design Gold DK 4000



Design Black Velvet DK 5000



Design Copper DK 7000



Design Hot Chili DK 8000

In the case of the Black Chrome to Hot Chili design options, the corresponding appliance is ordered with an article number, but the design kits are not pre-assembled on delivery.

INDIVIDUAL PLUS



Design Silver Chrome + Wood DK 3011



Design Silver Chrome + Stone DK 3012



Design Silver Chrome + Copper DK 3013



Design Silver Chrome + Gold DK 3014




Design Silver Chrome + Swarovski® crystal DK 3015




Design Black Velvet + Wood DK 5011



Design Black Velvet + Stone DK 5012



Design Black Velvet + Copper DK 5013




Design Black Velvet + Gold DK 5014



Design Black Velvet + Swarovski® crystal DK 5015

The Individual Plus designs are made up of the silver Chrome or Black Velvet design kits and a separate handle as an attachment.

Note: in the case of models with wood, the inlay is to be ordered separately from your kitchen manufacturer. Please refer to the drawing for the dimensions of the two 1-mm deep grooves.





Ordering examples

INDIVIDUAL



**BP 6550.0 S with
Design kit Stainless Steel:**

Order: BP 6550.0 S 1



Delivery: oven with an assembled design kit.

INDIVIDUAL



**BP 6550.0 S with
Design kit Silver Chrome:**

Order: BP 6550.0 S
+ acc. no. DK 3000





Delivery: oven with a separate design kit enclosed for individual assembly on site at the end user.

INDIVIDUAL PLUS



**BP 6550.0 S mit
Design kit Silver Chrome +
Stone:**

Order: BP 6550.0 S + acc.
no. DK 3000 (design kit)
+ acc. no. DK 3012 (handle)







Delivery: oven with separately enclosed Silver Chrome design kit plus INDIVIDUAL PLUS handle to be individually assembled on the premises of the final user.

Note: INDIVIDUAL PLUS is made to order and will be delivered approx. 6 weeks after receipt of an order.

TECHNICAL DATA OVENS

Design Models	Ovens. Pyrolysis			Ovens		
	BP 6850	BP 6550	BP 6350	B 6850	B 6550	B 6350
Black / White / Grey	• / - / •	• / • / -	• / - / -	• / - / -	• / - / -	• / - / -
Stainless steel (pre-assembled) / Design kit (optional accessory)	• / •	• / •	• / •	• / •	• / •	• / •
Individual Design models possible (numbers)	7	7	7	7	7	7
Individual Plus (handle retrofitable)	•	•	•	•	•	•
Energy-efficiency classes and energy consumption						
Energy-efficiency class in acc. with EN 50304	A+	A+	A+	A+	A+	A+
Energy consumption in acc. with EN 50304 at function ECO / hot air in kWh						
Features						
5" TFT Touch display / 3,9" TFT display	• / -	- / •	- / •	• / -	- / •	- / •
LCD Display						
Electronic timer with indication of date / daytime display / oven programming	• / • / •	• / • / •	- / • / •	• / • / •	• / • / •	- / • / •
White Display / Red Display	• / -	• / -	• / -	• / -	• / -	• / -
Graphic- / Clear text display	• / •	• / •	• / -	• / •	• / •	• / -
K-Connect	•			•		
Ovenfunctions (see page 68)	14	14	10	14	14	10
Oven special functions (see page 68)	11	8		11	8	
Steam functions / Special steam functions (see page 69)						
Multilevel timer	•			•		
Microwave-solo-function						
Microwave function, combined with any ovenfunction						
Microwave output (W) / Microwave output levels						
Recipes	•			•		
Automatic programmes	over 80	over 40	10	over 80	over 40	10
Favorite programmes	56	20		56	20	1
Electronic / mechanic oven control	• / -	• / -	• / -	• / -	• / -	• / -
Max. temperature setting in °C	270*	270*	270*	270*	270*	270*
Control by TFT-Touch / Sensor touch control / knobs	• / - / -	- / • / -	- / - / •	• / - / -	- / • / -	- / - / •
Aluminium control knobs illuminated / unlighted			- / •			- / •
Plastic pop-out knobs						
Roasting thermometer	•	•		•	•	
Actual temperature indication and temperature recommendation	•	•	•	•	•	•
Rapid heating	•	•	•	•	•	•
Door contact switch	•	•	•	•	•	•
Childproof lock	•	•	•	•	•	•
Full glass inner door with stainless steel frame / Full glass inner door	- / •	- / •	- / •	• / -	• / -	• / -
Number of door glasses	4	4	4	4	4	4
Drop-down large area grill				•	•	•
Oven cavity capacity in litres	70	70	70	70	70	70
Interior oven dimensions in mm (W x H x D)	475 x 364 x 402	475 x 364 x 402	475 x 364 x 402	475 x 364 x 402	475 x 364 x 402	475 x 364 x 402
LED lighting				2 x 6 W		
Halogen lighting	2 x 25 W	2 x 25 W	1 x 25 W		2 x 25 W	1 x 25 W
Lighting						
Eco mode	•	•		•	•	
Demo mode	•	•	•	•	•	•
Stand-by mode	•	•		•	•	
Cleaning						
ökoEmail+ coating	•	•	•	•	•	•
Pyrolytic cleaning	•	•	•			
Steam cleaning						
ökotherm® catalytic converter	•	•	•	•	•	•
ökoClean function						
Standard accessories						
Enamel baking tray	1	1	1	1	1	1
Universal/deep tray enamel / glass	1 / -	1 / -	1 / -	1 / -	1 / -	1 / -
Roasting grid	1	1	1	1	1	1
Steam set						
Telescopic glide-out shelf (full glide-out / standard glide-out)	1 / 1	- / 1		1 / 1	- / 1	
Technical data						
Total connected load in kW	3.6	3.6	3.6	3.6	3.6	3.6
Voltage (V)	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240
Frequency in Hz	50-60	50-60	50-60	50-60	50-60	50-60
Length of connection cable in metres	1,8	1,8	1,8	1,5	1,5	1,5
Dimensions in mm						
Niche (width x height x depth)	560 x 590 x 550	560 x 590 x 550	560 x 590 x 550	560 x 590 x 550	560 x 590 x 550	560 x 590 x 550

* 300 with grill function

TECHNICAL DATA OVENS / COOKER

Design Models	Ovens		Cooker
	B 6330	EEB 9860	EEH 6260
Black/White/Grey	• / - / -	• / - / -	• / - / -
Stainless steel (pre-assembled) / Design kit (optional accessory)	• / •	• / •	• / -
Individual Design models possible (numbers)	7	5	
Individual Plus (handle retrofittable)	•		
Energy-efficiency classes and energy consumption			
Energy-efficiency class in acc. with EN 50304	A+	A	A
Energy consumption in acc. with EN 50304 at function ECO / hot air in kWh		0.99	0.79
Features			
5" TFT Touch display / 3,9" TFT display			
LCD Display		•	
Electronic timer with indication of date / daytime display / oven programming	- / • / •	- / • / •	- / • / •
White display / red display	• / -	- / •	- / •
Graphic- / Clear text display		• / •	
K-Connect			
Ovenfunctions (see page 68)	8	9	8
Oven special functions (see page 68)		3	
Steam functions / Special steam functions (see page 69)			
Multilevel timer			
Microwave-solo-function			
Microwave function, combined with any ovenfunktion			
Microwave output (W) / Microwave output levels			
Recipes			
Automatic programmes		16	
Favorite programmes		2	
Electronic / mechanic oven control	- / •	• / -	- / •
Max. temperature setting in °C	250	250	250
Control by TFT-Touch / Sensor touch control / knobs	- / - / •	- / • / •	- / - / •
Aluminium control knobs illuminated / unlighted	- / •	• / -	
Plastic pop-out knobs			•
Roasting thermometer		•	
Actual temperature indication and temperature recommendation		•	
Rapid heating	•	•	
Door contact switch	•	•	•
Childproof lock		•	-
Full glass inner door with stainless steel frame / Full glass inner door	- / •	- / •	• / -
Number of door glasses	3	3	3
Drop-down large area grill		•	
Oven cavity capacity in litres	70	77	57
Interior oven dimensions in mm (W x H x D)	475 x 364 x 402	639 x 318 x 380	466 x 315 x 371
LED lighting			
Halogen lighting		2 x 20 W	
Beleuchtung	1 x 25 W		1 x 25 W
Eco mode			
Demo mode		•	
Stand-by mode			
Cleaning			
ökoEmail+ coating	•	•	•
Pyrolytic cleaning			
Steam cleaning			
ökotherm® catalytic converter	•	•	•
ökoClean function	•		
Standard accessories			
Enamel baking tray	1	2	1
Universal/deep tray enamel / glass		1 / -	1 / -
Roasting grid	1	1	1
Steam set			
Telescopic glide-out shelf (full glide-out / standard glide-out)		1 / 1	
Technical data			
Total connected load in kW	3.6	3.5	10.42
Voltage (V)	220 - 240	220 - 240	220 - 240
Frequency in Hz	50-60	50-60	50-60
Length of connection cable in metres	1,5	1,2	
Dimensions in mm			
Niche (width x height x depth)	560 x 590 x 550	860 x 475 x 550	560 x 590 x 550

ACCESSORIES OVENS, COOKERS AND COMPACT APPLIANCES

	Ovens and cooker			Compact appliances			ConceptLine	
	EEB 9860	EEH 6260	BP/B 6850 BP/B 6550 BP/B 6350 B 6330	CBD 6550 CBA 6550 CD 6350	CBM 6550 CBM 6350 CBM 6330	CBP 6550 CB 6350	EEBD 6750 EEBKD 6750	EEBP 6750
Enamel baking tray 			ZB 1000	ZB 1000		ZB 1000		
Enamel universal/deep tray 			ZB 1001	ZB 1001		ZB 1001		
Pizza stone with lifter 	146	145	145	145	145	145	145	145
Profession+ Cooking Set, consisting of: universal baking tray, inside roast and lid (illustration incl. cooking trivet ZB 1005) 			ZB 8030			ZB 8030		
Profession+ Roaster Set consisting of: cast aluminium pan (induction suitable) and telescopic glide-out shelve (full glide-out) 			ZB 8031	ZB 8031		ZB 8031		
Telescopic glide-out shelve (full glide-out) (1 pair) 			ZB 1002			ZB 1002		1750
Telescopic glide-out shelve (standard glide-out) (1 pair) 			ZB 1003			ZB 1003		
2 x Telescopic glide-out shelve (standard glide-out)		1085						
Cooking trivet, perforated, deep				ZB 1008				
Cooking trivet, non-perforated, flat				ZB 1009				
Cooking trivet, non-perforated, deep				ZB 1007				
Cooking trivet, perforated, flat				ZB 1006				

GN 1/3 container ZB 1005 (2 pieces as insert for ZB 8030)